





	352.421	1	-	$\pm 1,02$ mm	1.4 TSI
	774.960	1	-	$\pm 1,02$ mm	1.4 TSI ACT
	774.910	1	-	$\pm 1,02$ mm	1.4 TSI Hybrid USA
	529.070	1	-	$\pm 0,8$ mm	1.4 TSI OPF
	446.900	1	-	$\pm 0,8$ mm	1.4 TSI
	523.430	1	-	-	-
	445.910	1	WHT 007 089 (10x)	M9x1.25x140 12.9	
	595.180	1	04E 145 701 B	-	-
	446.150	4	06M 998 907	-	-
	113.880	4	04E 906 907 E	-	1.4 TSI E-Tron
1	721.972	1	04E 103 383 AM	$\varnothing 75,5$ mm $\pm 1,02$ mm	-
1	898.272	1	04E 103 383 BL	$\varnothing 75,5$ mm $\pm 1,02$ mm	1.4 TSI Hybrid USA
1	311.040	1	04E 103 383 CA	$\varnothing 75,5$ mm $\pm 0,72$ mm	1.4 TSI Audi A4
2	898.042	1	04E 103 483 H	-	-
2	633.710	1	04E 103 483 AE	-	for OE No. 04E103469DS, 04E103469ED, 04E103469ER
3	470.370	4	036 129 717 E	45 x 49,6 x 5 FPM	-
4	223.440	1	04E 253 039 E	-	-
5	302.890	16	04E 109 675	5x7,8/11,2x9,7 FPM	-
5	308.610	8	04E 109 675 A	5x7,8/11x10,3 FPM	1.4 TSI Hybrid USA
9	248.270	1	04C 103 085 B	30x40x7 RD \rightarrow ASW PTFE/AEM	-
10	523.120	1	04E 103 170 Q	$\varnothing 85$ mm IWDR LD \leftarrow PTFE	-
11	092.360	1	04E 103 161	-	-
11	245.730	1	04C 103 161 D 04C 103 161 F	-	-
13	928.240	1	04E 103 517 E	AEM	-
14	174.270	1	06E 127 248	O-Ring 31x2 FPM	-
14	430.030	1	WHT 008 259	O-Ring 31,5x1,8 FPM	-
19	323.380	1	04E 121 119 C	-	-
22	249.150	1	04C 121 119	-	-
23	938.850	1	04E 121 119 D	-	-
28	036.164	1	-	-	Dirko™ HT
30	733.490	1	N 028 222 2	O-Ring 20x3,15 FPM	-



31	589.640	1	N 902 889 01	M14 x 1,5 x 16	
31/1	591.840	1	N 013 815 7 N 013 815 8	14x20x2 DIN 7603 C	
35	904.050	4	-	O-Ring 5,94x3,53 FPM	-
35/1	456.900	4	-	6,1x7,8x3,4 PTFE	-
45	725.200	1	03C 133 073 A	65,3x69,5x5,5 FPM A	-
52	351.210	1	038 103 196 B	AEM	-
54	315.540	4	04E 115 111 D	-	-
66	915.556	1	N 903 445 01	O-Ring 45x3 FPM	-
66/2		1	WHT 007 568	O-Ring 69,4x3,1 ACM	-
66/2		1	N 908 514 01	O-Ring 14x1,8 FPM	-
71	355.940	2	WHT 006 990 A	O-Ring 7,59x2,62 FPM	-
71/1	224.450	2	WHT 005 363 WHT 005 363 A	O-Ring 12,4x3,53 FPM	-
71/2	548.691	1	04E 121 687	Metaloseal™	-
72	268.402	1	WHT 001 386	O-Ring 44x4 FPM	-
73	741.490	1	5C0 253 115 A 5QD 253 115 B	-	-
73/1	100.230	1	5Q0 253 725 H	-	-
74	268.402	2	WHT 001 386	O-Ring 44x4 FPM	-
76	847.040	1	WHT 003 247	O-Ring 65x4 FPM	-
77	341.310	1	04E 129 717 C	-	-
81		1	036 906 149 D	O-Ring 7,59 x 2,62	-
90	445.910	10	WHT 007 089	M9 x 1,25 x 140 12.9	
93	238.350	4	N 910 200 01	O-Ring 17,3x1,5 FPM	-
94	242.650	2	04E 103 085 AF	36x46x7 RD → ASW PTFE/ACM	-
95	242.620	1	04E 103 085	24x39x8 LD ← ASW PTFE/ACM	-
99	584.580	4	N 901 889 02	M8x35	-
99/1	356.120	4	WHT 000 001 N	M8x1,25x15,7	