





	798.740	1	-	-	-	-
	452.990	1	-	-	-	-
	864.450	1	WHT 007 433 (10x)	65.90030-0037 (10x)	-	
	795.420	1	-	-	-	for OE No. 04L253014C, 04L253014F, 04L253016S
	877.670	1	-	-	-	for OE No. 03N145703K, 03N145703M, 03N145703N, 03N145703R, 03N145703T, 03N145704, 1635970-0018, 1635988-0018, 65.09100-6000, 65.09100-6002, 65.09100-6005, 65.09100-6006
	933.920	1	03N 198 052 C	65.09904-6000	-	Bi-Turbo
	934.010	1	03N 198 052 E	65.08901-6001	-	Bi-Turbo
	982.090	1	-	-	-	for OE No. 04L103469B, 04L103469E, 04L103469J
	482.140	1	03N 198 070	-	-	-
	090.700	4	-	-	-	-
1	298.091	1	04L 103 383 AM	65.03901-0000	Ø 82,3mm 1,55	Num. of holes: 1
1	298.101	1	04L 103 383 AN	65.03901-0001	Ø 82,3mm 1,63	Num. of holes: 2
1	298.111	1	04L 103 383 AP	65.03901-0002	Ø 82,3mm 1,71	Num. of holes: 3
2	589.570	1	04L 103 483 A	65.03905-0000	-	for OE No. 04L103469B, 04L103469E, 04L103469J, 04L103469M
3	798.070	1	04L 129 717 E	65.08902-0002	-	-
3	147.240	1	04L 129 717 J	65.08902-0007	-	for OE No. 04L129709N, 65.08201-6012, 65.08201-6014
4	793.130	1	04L 253 039 H	65.08901-0000	-	-
5	308.610	16	04E 109 675 A	65.04902-0001	5x7,8/11x10,3 FPM	-
9	340.290	1	04L 103 151 A	65.01503-0002	-	-
10	340.280	1	04L 103 171	65.01503-0001	-	-
18	332.850	1	04L 121 119 F	65.96503-0000	-	-
21	703.570	1	04L 121 119	65.96503-0001	-	-
22	332.720	2	04L 121 119 B	65.96503-0002	-	-
24	328.210	1	N 907 653 01	65.96501-0036	O-Ring 32x4 EPDM-PX	-
25	332.720	1	04L 121 119 B	65.96503-0002	-	-
26		1	03N 117 070	65.05901-0000	-	-
26/1		1	03N 115 441	65.05901-0001	-	-



28	030.793	1	-	-	-	 Dirko™ HT 
29	332.970	1	04L 145 625	65.05907-0000	-	-
30	733.490	1	N 028 222 2	65.96501-0015	O-Ring 20x3 FPM	-
31	567.640	1	N 908 132 02	65.90310-0000	-	with seal ring mit Dichtring avec bague d'étanchéité con junta tórica con anello tenuta z pierścieniem uszczelniającym
35	797.960	4	04L 130 519 B	65.98701-0000	7,1x12,3x1,5 CU A	-
35/1	219.950	4	WHT 000 884	65.96501-0004	O-Ring 16,2x1,5 FPM	-
36	380.150	4	04L 103 070 B	65.03903-0000	-	-
37	455.830	4	WHT 007 480 A	65.96501-0033	O-Ring 2,8x1,5 FPM	-
45		1	04L 145 113	65.08902-0003	-	-
50		2	-	-	-	-
52	351.210	1	038 103 196 B	-	-	-
71	795.400	1	04L 145 757 B	65.05903-0003	-	-
71	549.180	2	03L 145 757 F	65.05903-0001	-	Bi-Turbo
71/1	068.616	4	N 013 813 3	65.96601-0001	12x17x1,5 Al A	-
72		1	7E0 129 496	-	-	-
73	352.550	1	2H0 253 115	65.15901-0000	-	-
73/1	566.570	1	2H0 253 725	65.97420-0000	Ø 86 mm	-
75	510.470	1	7E0 253 115 J	65.15901-0001	-	-
75/1	566.570	1	2H0 253 725	65.97420-0000	Ø 86 mm	-
76	147.230	2	04B 103 631	65.96001-0001	-	-
84		1	WHT 008 239	65.96501-0058	O-Ring 21,2x1,9 FPM	-
90	864.450	10	WHT 007 433 (10x)	65.90030-0037 (10x)	M12x1,75x209 12.9	
91	784.710	1	04L 131 120	65.08902-0004	-	-
91/1	429.050	1	03L 131 547 D	65.08901-0001	-	-
91/2	728.870	2	03L 131 547 P	65.08901-0002	-	-
91/3	060.700	1	-	-	Metaloseal™	-
94	897.690	1	03L 103 085 C	65.04901-0001	32x47x10 RD → PTFE/ACM	-
94/1	391.020	1	03L 103 113 A	65.04408-0000	32x8,5 FE/ACM	-
95	332.730	1	04L 145 215 C	65.04901-0000	-	-
97	461.682	1	-	-	-	
99	584.580	8	N 901 889 02	65.90210-0003	M8x35	-
99	685.700	8	N 044 407 6	65.90210-0004	M8x1,25x50	Bi-Turbo
99/1	305.600	8	WHT 003 842	65.90501-0001	M8x1,25x22	-
99/1	365.930	8	WHT 005 430	65.90640-0000	M8x1,25x36	Bi-Turbo